AD	1		

Award Number: W81XWH-08-2-0047

TITLE: Innovative Service Delivery for Secondary Prevention of PTSD in At-Risk OIF-OEF Service Men and Women Á

PRINCIPAL INVESTIGATOR: Ronald Acierno, PhèDè

CONTRACTING ORGANIZATION:ÁOåáã→æb\~^ÁÞæbæáã´åÁØ^b\↔\|\æÁ ÁÁÁÁÁÁÁÁÁÁÁÁÁÁÁÁÁÁÁÁÁÁÁÓÅÓåãã→æb\~^ÊÁUOÁGÏH€ĞÁ

REPORT DATE: AugustÁ2013

TYPE OF REPORT: Þæ{⇔bæäÁAnnual

PREPARED FOR: U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT:

Approved for public release; distribution unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching expenses.					Form Approved		
					OMB No. 0704-0188		
completing and reviewing this co Washington Headquarters Service	llection of information. Send com es, Directorate for Information Op	ments regarding this burden estimaterations and Reports (0704-0188),	te or any other aspect of this collection 1215 Jefferson Davis Highway, Suite	of information, including 1204, Arlington, VA 222	data sources, gathering and maintaining the data needed, and suggestions for reducing this burden to Department of Defense, 02-4302. Respondents should be aware that notwithstanding any trol number. PLEASE DO NOT RETURN YOUR FORM TO		
1. REPORT DATE (DI	D-MM-YYYY)	2. REPORT TYPE			DATES COVERED (From - To)		
Cwi wuv'4235		Tgxkugf "Annual		1.	April 2012"-"31 July 2013		
4. TITLE AND SUBTI	FLE			5a.	CONTRACT NUMBĚR		
Innovative Service Men and Women	Delivery for Seconda	ary Prevention of PTS	SD in At-Risk OIF-OEI		GRANT NUMBER 81XWH-08-2-0047		
wich and women				5c.	PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d.	PROJECT NUMBER		
Erica Yuen, PhD					TASK NUMBER		
Ronald Acierno, Ph	D						
Wendy Muzzy, MS	D						
Go cknt'cekgtpqB o v	ue@fw			5f.	WORK UNIT NUMBER		
7. PERFORMING OR	GANIZATION NAME(S) AND ADDRESS(ES)			PERFORMING ORGANIZATION REPORT NUMBER		
Charleston Research	n Institute						
176-A Ashley Ave.							
Charleston, SC 294	03						
A CRONGORNIC INC	NITTO DING A CENCY	NAME (G) AND ADDRE	aa ana)	10	CRONGOR A CONTRODUC A CRONNA (C)		
		NAME(S) AND ADDRE	SS(ES)	10.	SPONSOR/MONITOR'S ACRONYM(S)		
US Army Medical I							
Fort Detrick, Maryl	and 1/02-3012						
					SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION / Approved for public				L			
13. SUPPLEMENTAR	Y NOTES						
14. ABSTRACT							
and 7/31/13. This re	port focuses on the j of an efficient, susta	orimary objectives fo ainable, study-referra	r our fifth year includin	g: a) recruitmen	Prevention of PTSD between 4/1/12 nt and enrollment, b) the development the project at national conferences and		
15. SUBJECT TERMS PTSD, OIF/OEF, T	elemedicine, Behavi	oral Activation, Ther	apeutic Exposure, DOE)/VHA research	collaborations		
16. SECURITY CLASS U	SIFICATION OF:		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON USAMRMC		
a. REPORT	b. ABSTRACT	c. THIS PAGE	UU	'""""17	19b. TELEPHONE NUMBER (include area code)		

Table of Contents

	<u>Page</u>
Introduction	2
Body	2
Key Research Accomplishments	3
Reportable Outcomes	4
Conclusion	4
References	4
Appendices	5

INTRODUCTION:

The current project has two primary objectives: 1) evaluate the effectiveness of an intervention to prevent the functional impairment associated with PTSD symptoms in post-deployed OIF/OEF service men and women, and 2) determine whether or not this program delivered via telepsychology will be as effective as in-person treatment. Behavioral Activation and Therapeutic Exposure (BA-TE) is an eight-session, manualized treatment program. Using a between-groups, repeated measures design, study participants are randomized to one of two treatment conditions: BA-TE delivered via telepsychology (BA-TE-T), or BA-TE delivered in-person (BA-TE-IP). Participants will be assessed across primary and secondary outcome variables at five time points (pretreatment, mid-treatment, post-treatment, and 3- and 12-month follow up).

BODY:

The major tasks of the S.O.W. include (1) **recruit** 248 active duty or veteran participants with PTSD or Sub-Threshold PTSD and randomly **assign** to either in person or televideo based treatment for PTSD; (2) collect measures of PTSD and other psychopathology, attendance, patient satisfaction and cost at pre-treatment, post-treatment, and follow-up. Note that our S.O.W. has been amended and approved to address the more prevalent problem of chronic PTSD by including up to 33% of Vietnam Veterans, in addition to OIE/OEF and Persian Gulf Veterans.

Report: 5 Year Point Data Analysis

Between 04/01/2012 and 07/31/2013, 587 participants were screened and 70 were enrolled, bringing our total enrollment to date since the initiation of study procedures on 10/08/2008 to 257. Note, enrolled participants are not considered to have been actually recruited until they attend the first treatment session. Additionally, 44 participants completed post-treatment assessment (132 total), 43 completed three-month follow-up (113 total), and 45 completed 12-month follow-up (90 total).

Participants were predominantly male (93%), White (49%) followed by Black (48%) and then Hispanic/Other (3%), and had a mean age of 44.4 years (SD = 14.7). Theatre was predominantly OIF/OEF (55%), followed by Vietnam (24%) and then Persian Gulf (21%). All participants endorsed symptoms consistent with either PTSD or subthreshold PTSD on the CAPs.

To evaluate the overall efficacy of BA-TE, we ran analyses on the PTSD Checklist-Military Version (PCL-M) and Beck Depression Inventory, Second Edition (BDI-II) for the entire sample collected as of 12/1/13. These analyses revealed significant within subject pre- to post-treatment reductions on the primary symptom measures. Consistent with hypotheses, analyses revealed significant reductions in PTSD and MDD symptoms over time, but no significant time by condition interactions. Considering the PCL for PTSD symptoms, within subjects reductions pre-treatment to post-treatment were significant ($F_{1,218}$ =,118.69 p < .001); whereas between subjects comparisons at post treatment revealed no significant differences ($F_{1,218}$ =0.03, p = .871). Similarly, considering the BDI for Depression symptoms, within subjects reductions revealed pre-treatment to post treatment improvement ($F_{1,218}$ = 75.33, p < .001), compared to no differences at post-treatment between telemedicine and in person treatment conditions ($F_{1,218}$ = 1.46, p = .228).




Figure 1: PCL-M Score Pre-Post (N = 220)

3

25 Pre
20 Post
15 In Person Telemed

Figure 2: BDI Score Pre-Post (N = 220)

Trends At Follow Up (3 month and 12 month)

To date, 113 participants have completed the three-month follow-up assessment and 90 have completed 12 month assessment.

See figures below. In both figures, there is a significant effect for time (pre treatment vs. all other times), but no difference for treatment modality between groups at any time point.

Figure 3 presents PCL scores over time by condition N = 113 (3 mo), 90 (12 mo)





Figure 4 presents BDI scores over time by condition N = N = 113 (3 mo), 90 (12mo)



KEY RESEARCH ACCOMPLISHMENTS:

- 257 participants have been enrolled to date; 220 participants have completed post-treatment assessment; 113 participants have completed 3-month follow-up; and 90 participants have completed 12-month follow-up.
- Research staff has greatly increased efforts to advertise in the community this past year. Staff has advertised the study at local colleges, healthcare centers, counseling centers, community centers, churches, synagogues, community fairs, and PTSD support groups.
- Team representatives continue to maintain relationships with clinicians at our Goose Creek satellite clinic and primary care clinic annexes located in the Trident Hospital and the Charleston Naval Weapons Station.
- Research staff has continued with a postcard and phone call recruitment initiative; Veterans diagnosed with PTSD and receiving services at community-based outpatient clinics (e.g., Savannah, Myrtle Beach, Beaufort) are contacted via postcards/telephone to inform them of treatment opportunities through this study.
- Staff continues to meet weekly with Dr. Acierno (Principal Investigator) for clinical supervision. Other clinical training/supervisory experiences included attending weekly Grand Rounds seminars, assessment training seminars, and providing ongoing opportunities for clinical staff to shadow senior-level clinicians during therapy.
- We presented preliminary findings at several national and regional conferences (see next section).

REPORTABLE OUTCOMES:

- At this time, 13 manuscripts associated with this project have been submitted, published or are currently in press.
- 27 presentations associated with this project have been delivered at National/International/Regional conferences.
- 5 trainings/workshops have been delivered.
 - o See Appendix Below.

CONCLUSION:

Recruitment has been steady, supported by the varied recruitment strategies implemented within the VA and surrounding community.

Preliminary results are consistent with current literature that suggests behavior therapies can be safely and effectively implemented via home-based telehealth technology and that telehealth service delivery yields reductions in symptomatology that are comparable to in-person service delivery. Participants who receive behavior therapy via telehealth report comparable treatment satisfaction, credibility, and service delivery perceptions to patients who receive exposure therapy via conventional in-person service delivery. Furthermore, preliminary results find that participants in both conditions appear to maintain their treatment gains at 3-month and 12-month follow-up.

Thus far, study findings are encouraging. On measures of both PTSD and MDD, within group improvements are evident, but no differences between telemedicine and in person conditions are evident. The latter findings are tempered, however, because power is still low relative to that suggested as necessary in non-inferiority designs. Nonetheless, lack of significant differences between modalities, with significant improvement within both modalities is worthy of note.

REFERENCES:

None

APPENDICES:

Research articles

- Acierno, R., Gros, D.F, Strachan, M., Frueh, BF (in press). The Next Step:
 Moving Combat-Related PTSD Care out of the Clinic and into the Home
 (or Boat, or Hotel, or Car [Parked]). *Clinicians Research Digest*.
- Acierno, R., Rheingold, A., Amstadter, A., Kurent, J., Amella, E., Resnick, H., Muzzy, W. & Lejuez, C. (2012). Behavioral activation and therapeutic exposure (BA-TE) for bereavement in older adults. *American Journal of Hospice and Palliative Medicine*, 29, 13-25.
- Gros, D. F., Price, M., Yuen, E. K., & Acierno, R. (under review). Predictors of Completion of Exposure Therapy in OEF/OIF Veterans with Posttraumatic Stress Disorder.
- Gros, D.F., Stauffacher Gros, K., Acierno, R., Frueh, B.C., & Morland, L.A. (in press). Relation between treatment satisfaction and treatment outcome in veterans with posttraumatic stress disorder. Manuscript submitted for publication.
- Gros, D.F., Price, M., Strachan, M., Yuen, E.K., Milanak, M.E., & Acierno, R. (2012). Behavioral Activation and Therapeutic Exposure (BA-TE): An investigation of relative symptom changes in PTSD and depression during the course of integrated behavioral activation, situational exposure, and imaginal exposure techniques. *Behavior Modification*, *36*, *580-599*.
- Gros, D.F., Strachan, M., Ruggiero, K.J., Knapp, R.G., Frueh, B.C., Egede, L.E., Lejuez, C. W., Tuerk, P. W., & Acierno, R. (2011). Innovative service delivery for secondary prevention of PTSD in at-risk OIF-OEF service men and women. *Contemporary Clinical Trials*, *32*, 122-128.
- Gros, D.F., Veronee, K., Strachan, M., Ruggiero, K.J., & Acierno, R. (2011). Managing suicidality in home-based telehealth. *Journal of Telemedicine and Telecare*, 17, 332-335.
- Gros, D. F., Acierno, R., Ruggiero, K. J., Grubaugh, A. L., Egede, L. E., & Frueh, B. C. (2010). Telehealth technologies for the delivery of mental health services. *FORUM*, *November 2010*, 6.
- Lejuez, C. W., Hopko, D. R., Acierno, R., Daughters, S. B., & Pagoto, S. L. (2011). Ten year revision of the brief behavioral activation treatment for depression: revised treatment manual. *Behavior Modification*, 35, 111-161.
- Price, M., Gros, D. F., Strachan, M., Ruggiero, K. J., Acierno, R. (in press). Combat experiences, pre-deploymenttraining, and outcome of exposure

- therapy for PTSD in operation enduring freedom/operation Iraqi freedom veterans. Clinical Psychology & Psychotherapy.
- Price, M., Gros, D. F., Strachan, M., Ruggerio, K. J., Acierno, R. (in press). Social support in exposure therapy for OEF/OIF veterans: A preliminary investigation. *Psychological Trauma: Theory, Research, Practice, and Policy.* doi: 10.1037/a0026244
- Strachan, M.K., Gros, D.F., Ruggiero, K.J., Lejuez, C.W., & Acierno, R. (2012). An integrated approach to delivering exposure-based treatment for symptoms of PTSD and depression in OIF/OEF Veterans: Preliminary findings. *Behavior Therapy*, 43, 560-569.
- Strachan, M., Gros, D.F., Yuen, E., Ruggiero, K.J., Foa, E.B., & Acierno, R. (2012). Home-based telehealth to deliver evidence-based psychotherapy in veterans with PTSD. *Contemporary Clinical Trials*, *33*, 402-409.

Presentations

- Rogers, S. M., Yuen, E. K., Zeigler, S. M., Kuhlmann, T., Rosenlieb, T. S., Rossi, J., Veronee, K. L., Worsham, G. J., Tuerk, P. W., & Acierno, R. (2013, March). *Treatment Barriers to Therapeutic Exposure*. Poster presented at the 59th annual meeting of the Southeastern Psychological Association, Atlanta, Georgia.
- Price, M., Gros, D. F., Strachan, M., Ruggiero, K. J., & Acierno, R. (2012, November). The interactive effect of increased combat exposure and predeployment training on exposure therapy outcomes in PTSD for Operation Enduring Freedom/Operation Iraqi Freedom Veterans. In D. Grasso (Chair) Processes of Interpersonal Traumatic Stress. Paper presented at the 28th meeting of the International Society for Traumatic Stress Studies, Los Angeles, CA.
- Acierno, R., Tuerk, P., Yoder, M., & Yuen, E. (2012, September). Home-based telemedicine delivery of evidence based psychotehrapy for comorbid ptsd and depression: Results from an ongoing large scale radomized controlled trial. Paper presented at the Annual Conference of the Society for the Study of Anxiety and Stress, Valencia, Spain.
- Acierno, R. (2012, March). UPDATE: Secondary prevention of PTSD in at risk OIF-OEF service men and women: BA-TE via HOME based telemedicine. Paper presented at the MOMRP/CDMRP PTSD IPR Meeting, Bethesda, MD.
- Price, M., Gros, D. F., Strachan, M., Ruggerio, K. J., Acierno, R. (2011, November). The role of social support in the treatment of PTSD in OEF/OIF veterans. Poster presented for the Disaster & Trauma Special Interest Group at the 45th annual meeting of the Association for Behavior and Cognitive Therapy, Toronto, Canada.

- Price, M., Strachan, M., Gros, D., Ruggiero, K., Acierno, R. *Combat Experiences*, *Pre-deployment Training, and Outcome of Exposure Therapy for PTSD in Operation Enduring Freedom/Operation Iraqi Freedom Veterans.* (2011, November). Poster presented for the Disaster & Trauma Special Interest Group at the 45th annual meeting of for the Association for Behavior and Cognitive Therapy, Toronto, Canada.
- Strachan, M., Price, M., Gros, D.F., Ruggiero, K.J., Acierno, R. (November, 2011). *Combat experiences, pre-deployment training, and outcome of exposure therapy for PTSD in OIF/OEF veterans.* Poster presentation at the Annual Meeting of the Association for Behavioral and Cognitive Therapies, Toronto, ON.
- Zeigler, S., Welsh, K., Yuen, E., Strachan, M., Gros, D.F., M., Price, M., Acierno, R. (November, 2011). *Home-based telehealth delivery of exposure therapy to veterans with PTSD living in federally designated rural areas*. Poster presentation at the Annual Meeting of the Association for Behavioral and Cognitive Therapies, Toronto, ON.
- Price, M., Gros, D. F., Strachan, M., West, J. S., Ruggiero, K. J., Acierno, R. (2011, October). Enhancing behavioral interventions for PTSD in Operation Enduring Freedom/Operation Iraqi Freedom Veterans: Influence of personal and environmental factors. Poster presented at the Perry V. Halushka Student Research Day, Charleston, SC.
- Acierno, R. (2011, May). *Emerging technologies and new applications for telemental health*. Paper presented at the 2011 American Telemedicine Association in Tampa, FL.
- Strachan, M., Parker, J., Warner, C., Muzzy, W., Welsh, K., Boswell, J., Lejuez, C., & Acierno, R. (March, 2011). *Creating a Collaborative Infrastructure for PTSD Research;* Seminar presented at Armed Forces Health Protections Conference, Hampton Roads, Virginia.
- Strachan, M., Parker, J., Warner, C., Welsh, K., Muzzy, W., Boswell, J., Lejuez, C., & Acierno, R. (March 2011). *Building a Collaborative Infrastructure for Research: Lessons Learned.* Paper presented at the 13th Annual Armed Forces Public Health Conference, Hampton Roads, VA.
- Strachan, M., Brown, C., Veronee, K., Welsh, K., Price, M., Gros, D.F., & Acierno, R. (March 2011). *Legal issues relevant to the diagnosis and treatment of PTSD in OIF/OEF populations*. Poster presented at the International Congress of Psychology and Law, Miami, FL.
- Acierno, R. (2011, March). Treatment where it counts: Home-based telemedicine for PTSD and Depression in Veterans. Presented at The Citadel Honorary Patrick Leverett Lecture, Charleston, SC.

- Acierno, R. (February 2011). Secondary prevention of PTSD in at risk OIF-OEF service men and women: BA-TE via HOME based telemedicine. Paper presented at the MOMRP/CDMRP PTSD IPR Meeting.
- Price, M., Gros, D. F., Strachan, M., Tuerk, P. W., Yoder, M., Ruggerio, K. J., Egede, L. E., Lejuez, C.W., Acierno, R. (February 2011). Comparison of general health outcomes for African Americans and Caucasians after outpatient treatment for PTSD. Poster presented at the VA HSR&D 2011 National Meeting, Baltimore, MD.
- Acierno, R. (November 2010). *Two home based telemedicine treatments of PTSD*. Symposium paper presented at the ABCT 44th Annual Convention in San Francisco, CA.
- Strachan, M., Gros, D.F., Ruggiero, K.J., Lejuez, C.W., Tuerk, P.W., & Acierno, R. (November 2010). *Predictors of patient satisfaction in OEF/OIF Veterans with posttraumatic stress disorder*. Poster presented at the Annual Meeting of the Association for Behavioral and Cognitive Therapies, San Francisco, CA.
- Price, M., Strachan, M., Gros, D.F., Ruggerio, K.J., Acierno, R. (November 2010). Examination of PTSD and depression treatment response for Behavioral Activation and Therapeutic Exposure. Poster presented at the Annual Meeting of the Association for Behavioral and Cognitive Therapies, San Francisco, CA.
- Veronee, K., Gros, D.F., Strachan, M., Price, M., Ruggiero, K.J., & Acierno, R. (November 2010). *Managing suicidality in home-based telehealth exposure therapy for combat-related PTSD: A case presentation of an OEF Veteran.* Poster presented at the Annual Meeting of the Association for Behavioral and Cognitive Therapies, San Francisco, CA.
- Gros, D.F., Strachan, M., Ruggiero, K.J., Tuerk, P.W., Lejuez, C.W., & Acierno, R. (November 2010). *Predictors of treatment completion in OEF/OIF Veterans with posttraumatic stress disorder*. Poster presented at the Annual Meeting of the Association for Behavioral and Cognitive Therapies, San Francisco, CA.
- Tuerk, P. W., Yoder, M., Myrick, D. H., Acierno, R., & Hembree, E. (2010, November). Expanding the use of Prolonged Exposure Therapy for PTSD to diverse patient populations and clinical settings. Symposium presented at the ABCT 44th Annual Convention in San Francisco, CA.
- Acierno, R. & Tuerk, P. (2010, September). Psychotherapy for post-traumatic stress disorder. Presented at MUSC's Update in Psychiatry Conference in Charleston, SC.

- Strachan, M., Gros, D. F., Welsh, K., Lejuez, C. W., & Acierno, R. (2010, June) An Evaluation of Behavioral Activation and Therapeutic Exposure for PTSD: Preliminary Results. Poster presented at the 6th Annual Conference of the World Congress of Behavior and Cognitive Therapies Convention (WCBCT), Boston, MA.
- Rossi, J., Muzzy, W., Fidrych, K., Chelius, R., May, K., Strachan, M., & Acierno, R. (2009, November). Behavioral activation and therapeutic exposure for PTSD: In person vs. telemedicine. Poster presented at the 43rd Annual Meeting for the Association for Behavioral and Cognitive Therapies, New York City, NY.
- Yoder, M., Tuerk, P., Ruggiero, K., & Acierno, R. (2009, November). Prolonged exposure for Combat-Related PTSD: Differences in live vs. telehealth treatment delivery. Paper presented at the 25th Annual Meeting for the International Society for Traumatic Stress Studies, Atlanta, GA.
- Strachan, M. & Acierno, R. (2009, August). Innovative service delivery for the secondary prevention of PTSD in OIF/OEF service men and women. Paper presented at Military Health Research Forum (MHRF), Kansas City, KS.n

Innovative Service Delivery for Secondary Prevention of PTSD in At-Risk OIF-OEF Service Men and Women

PT073980/Award Number W81XWH-08-2-0047

PI: Ronald Acierno, Ph.D. Org: Charleston Research Institute Award Amount: \$1,445,214

The state of the s

Study/Product Aim(s)

- <u>Objective 1</u>: To evaluate the effectiveness of an intervention to prevent the functional impairment associated with PTSD symptoms in OIF/OEF, Persian Gulf, and Vietnam Veterans and service members.
- <u>Objective 2</u>:To determine whether or not this program delivered via telepsychology will be as effective as in-person treatment. Behavioral Activation and Therapeutic Exposure (BA-TE) is an eight-session, manualized treatment program.

Approach

A randomized between groups repeated measures non-inferiority design is being utilized. 250 active duty or Veteran participants with PTSD or Sub-Threshold PTSD are being recruited and randomly assigned to either in person or televideo-based treatment for PTSD. Data collection includes measures of PTSD and other psychopathology, attendance, patient satisfaction and cost at pre-treatment, post-treatment, and twelve month follow-up.

Timeline and Cost

Activities	Year 1 4/08-4/09	Year 2 4/09-4/10	Year 3 4/10-4/11	Year 4 4/11-4/12	Year 5 4/12-4/13	Year 6+ 4/13-7/14
Initial approvals: IRB/VA/DoD	√					
Recruitment / Treatment / Follow-up						
Data Analysis /Reports						
Dissemination						
Original Estimated Budget (Direct Costs)	\$322,201	\$ 293,776	\$297,983	\$305,732		

Updated: (8/16/2013)



Accomplishments this Year:

- 587 participants were screened and 70 were enrolled, bringing our total enrollment to date since the initiation of study procedures on 10/08/2008 to 257.
- Additionally, 44 participants completed post-treatment assessment (132 total), 43 completed three-month follow-up (113 total), and 45 completed 12-month follow-up (90 total).
- 13 manuscripts associated with this project have been submitted, published or are currently in press.

Goals/Milestones

Year 1 Goal – Institutional Human Subject Approvals Submitted. IRB, VA Research, DoD HRPO Approvals Obtained. Recruitment protocols and procedures established.

Year 2 Goals – Recruited and consented participants.

Year 3 Goals – Recruited and consented participants.

Year 4 Goals - Recruited and consented participants.

Year 5 Goals – Recruited and consented participants.

Year 6 Goals – Complete recruitment, analyze data, submit publications. Submit final report and presentations to DoD.

Comments/Challenges/Issues/Concerns

- 4-month no-cost extension (4/13-8/13)
- 6-month no-cost extension (8/13-2/14)
- 12-months funded extension (\$291,940; 8/13-7/14) would allow time and resources to meet recruitment goal, conduct follow-up, and complete data analyses and reports.

Budget Expenditure to Date

Actual Expenditure: \$1,260,578 (as of 6/30/2013)